# PRODUCT CATALOGUE

Volume III







## ॥ जय गुरू निताई ॥ ना कुछ किया ना कर सकूं, ना ही करने योग । जो कुछ किया हरि आपने, आप ही करने योग ॥

## **Head Office:**-

B-15 Mangolpuri Industrial Area, Phase-II, New Delhi-110034. INDIA,

Toll free :- 1800 8913 205

- \$\square\$ +91 9891169000, 9811195059
- +91 9810869000, 9810095059
- www.saroopindustries.com

## **I**♦ Branch Office :-

579 Candlestick Circle, Mississauga, Ontario, Canada, L4Z0B3

**\( \sum\_{1} + 1 \)** (647) 568-3866, +1 (647) 993-3866

M saroopindustries.ca@gmail.com

linked https://www.linkedin.com/company/saroop-industries/

https://www.instagram.com/saroopindustries

www.facebook.com/saroopindustries

https://twitter.com/saroopindustri1



After a successful launch of the brand in 2015, Saroop is now ready to deliver to the automotive industry a wider range of products. This makes us a one-stop shop for all the automotive needs.

Saroop has the state-of-the-art facilities, world-class capacities and capabilities that designs products 3 using competitive and cost-effective technologies.













Certified brand that has a strong capability in product design and engineering, along with product testing

With our futuristic vision, we at Saroop, continuously strive to bring forth a product range that is revolutionary in the automotive industry.

## SAROOP CERTIFICATE




















**WIRE & CABLES** 

\*

**CABLE TERMINAL** 



**BRASS LUGS** 



BRASS SHEET TERMINAL



BRASS & LEAD BATTERY TERMINAL



BATTERY CABLE SET



JUMPER CABLE SET



EARTHING WIRE



CHARGING CLIP



**SWITCHES** 









### **TABLE OF CONTENTS**

| Wire Cables   | 1 - 3       |
|---|-------------|
| BRASS TERMINAL  |             |
| Ring Series Terminal  | 4 - 8       |
| Fork / Jointer Series Terminal  | 9           |
| Bullet Series Terminal  | 10 - 11     |
| Fuse Series Terminal  | 12          |
| 090 Series Terminal   | 13          |
| 0110 Series Terminal  | 14 - 15     |
| 0187 Series Terminal  | 15          |
| 0250 Series Terminal  | 16 - 17     |
| 0312 Series Terminal  | 18 - 19     |
| 0375 Series Terminal  | 19          |
| Special Series Terminal   | 20 - 21     |
| Brass Lugs  | 22 - 26     |
| Brass Sheet Terminal  | 26          |
| Brass Battery Terminal  | 27 - 28     |
| Note :- All Brass Sheet Terminals are available in Copper Sheet, in <b>BULK QUA</b>   | NTITY ORDER |
| BATTERY CABLE SET   |             |
| Battery Cable Fitting / Battery Jointer Both Side Terminal Battery Terminal Jointer / Maruti Car Cable Set / Maruti Van Cable Set | 29          |
|   |             |
| Jumper Cable Set / Flat Earthing Wire Battery Cable Set for Four Wheeler / Battery Cable Set for Four Wheeler                     | 30          |
| Battery Cable Set for Earth Moving Vehicle / Battery Cable Set for Seva Type  |             |
|   |             |
| Charging & Crocodile Clip   | 31          |
| Switches  | 32          |



### **WIRE**



| GOLD THIN PVC (AVS TYPE) |           |  |  |  |  |  |  |
|--------------------------|-----------|--|--|--|--|--|--|
| 16/0.2mm                 | 0.50sq mm |  |  |  |  |  |  |
| 24/0.2mm                 | 0.75sq mm |  |  |  |  |  |  |
| 32/0.2mm                 | 1.00sq mm |  |  |  |  |  |  |
| 30/0.25mm                | 1.50sq mm |  |  |  |  |  |  |
| 35/0.3mm                 | 2.50sq mm |  |  |  |  |  |  |
| 56/0.3mm                 | 4.00sq mm |  |  |  |  |  |  |
| 84/0.3mm                 | 6.00sq mm |  |  |  |  |  |  |





#### **WIRE**









#### **WIRE**





0.50sq mm 0.75sq mm

1.00sq mm

1.50sq mm

2.50sq mm

4.00sq mm

6.00sq mm

## EXPORT (036 SWG)



4mm

5mm

6mm

7mm

8mm

10<sub>mm</sub>

## **OE Type Battery Cables**



THE ABOVE MENTIONED

BATTERY CABLES ARE AVAILABLE
IN LENGTH OF 25, 50 & 100 METER

10.00 Sq mm

16.00 Sq mm

25.00 Sq mm

35.00 Sq mm

50.00 Sq mm

70.00 Sq mm

95.00 Sq mm

120.00 Sq mm

## **AFTER MARKET BATTERY CABLES**





THE ABOVE MENTIONED BATTERY CABLES ARE AVAILABLE IN LENGTH OF 25, 50 & 100 METER

220 Wire

325 Wire

440 Wire



| RING SERIES<br>TERMINALS  | PART<br>Number | OD          | ID<br>Ø    | CABLE<br>SIZE<br>SQ. MM | DESCRIPTION         | MATERIAL       | STANDARD<br>PACKING<br>SPOOL / CUT QTY. |
|---|----------------|-------------|------------|-------------------------|---------------------|----------------|---|
| 3.10+0.20<br>3.10+0.20<br>15.30   | SWT001003S     | 7.00<br>mm  | 3.20<br>mm | 1.50-2.20               | LA103<br>Small Hole | CuZn-<br>63/37 | Spool-8000<br>Cut-1000                  |
| 3.10+0.20<br>15.30<br>3.60<br>3.60<br>3.60<br>3.60<br>3.60<br>3.60<br>3.60<br>4.0<br>4.0<br>4.0<br>4.0<br>4.0<br>4.0<br>4.0<br>4. | SWT001003M     | 7.00<br>mm  | 3.20<br>mm | 1.50-2.20               | LA103<br>Small Hole | CuZn-<br>63/37 | Spool-8000<br>Cut-1000                  |
| 3.10+0.20<br>3.10+0.20<br>15.30   | SWT001003B     | 7.00<br>mm  | 4.20<br>mm | 1.50-2.20               | LA103<br>Big Hole   | CuZn-<br>63/37 | Spool-8000<br>Cut-1000                  |
| 3.30+0.20<br>16.50<br>3.30+0.20<br>16.50  | SWT001004S     | 7.50<br>mm  | 4.50<br>mm | 1.50-2.20               | LA104<br>Small Hole | CuZn-<br>63/37 | Spool-8000<br>Cut-1000                  |
| 3.30+0.20   | SWT001004B     | 7.50<br>mm  | 5.00<br>mm | 1.50-2.20               | LA104<br>Big Hole   | CuZn-<br>63/37 | Spool-8000<br>Cut-1000                  |
| 3.70+0.20<br>20.00<br>20.00   | SWT001005      | 10.00<br>mm | 5.20<br>mm | 2.00-3.00               | LA105               | CuZn-<br>63/37 | Spool-4000<br>Cut-1000                  |
| 4.00±0.20<br>20.40  | SWT001006      | 12.00<br>mm | 6.50<br>mm | 2.00-3.00               | LA106               | CuZn-<br>63/37 | Spool-3000<br>Cut-1000                  |



| RING SERIES<br>TERMINALS                         | PART<br>NUMBER | OD<br>Ø     | ID<br>Ø    | CABLE<br>SIZE<br>SQ. MM | DESCRIPTION | MATERIAL       | STANDARD<br>PACKING<br>SPOOL / CUT QTY. |
|--|----------------|-------------|------------|-------------------------|-------------|----------------|---|
| 2.70+0.20<br>4.00+0.20<br>22.40<br>22.40         | SWT001007      | 12.00<br>mm | 7.50<br>mm | 2.00-3.00               | LA107       | CuZn-<br>63/37 | Spool-3000<br>Cut-1000                  |
| 2.70+0.20<br>4.00+0.20<br>22.40                  | SWT001008      | 12.05<br>mm | 8.50<br>mm | 2.00-3.00               | LA108       | CuZn-<br>63/37 | Spool-3000<br>Cut-1000                  |
| 4.50+0.20<br>4.50+0.20<br>25.80                  | SWT001206      | 12.00<br>mm | 6.50<br>mm | 2.50-3.50               | LA206       | CuZn-<br>63/37 | Spool-2000<br>Cut-1000                  |
| 3.70±0.20<br>4.80±0.20<br>32.00<br>32.00         | SWT001208      | 16.00<br>mm | 8.50<br>mm | 3.20-4.50               | LA208       | CuZn-<br>63/37 | Spool-1500<br>Cut-1000                  |
| 3.50+0.20<br>5.70+0.20<br>28.75                  | SWT001306      | 12.00<br>mm | 6.50<br>mm | 3.80-4.80               | LA306       | CuZn-<br>63/37 | Spool-1500<br>Cut-1000                  |
| 3.40+0.20<br>5.60+0.20<br>32.60<br>32.60         | SWT001308      | 16.00<br>mm | 8.50<br>mm | 4.10-5.10               | LA308       | CuZn-<br>63/37 | Spool-1000<br>Cut-1000                  |
| 4.30<br>4.20±0.20<br>21.00<br>3.10±0.20<br>21.00 | SWT004021      | 8.40<br>mm  | 4.30<br>mm | 2.00-3.00               | No 2A Small | CuZn-<br>63/37 | Spool-4000<br>Cut-1000                  |



| RING SERIES<br>TERMINALS                              | PART<br>NUMBER | OD<br>Ø     | ID<br>Ø    | CABLE<br>SIZE<br>SQ. MM | DESCRIPTION                | MATERIAL       | STANDARD<br>PACKING<br>SPOOL / CUT QTY. |
|---|----------------|-------------|------------|-------------------------|----------------------------|----------------|---|
| 3.00+0.20<br>4.00+0.20<br>22.50                       | SWT004023      | 8.00<br>mm  | 4.40<br>mm | 2.00-3.00               | No 2A                      | CuZn-<br>63/37 | Spool-4000<br>Cut-1000                  |
| 4.00+0.20   | SWT004024      | 8.10<br>mm  | 4.60<br>mm | 2.80-3.80               | No 2A<br>Cross Leg         | CuZn-<br>63/37 | Spool-3000<br>Cut-1000                  |
| 3.50+0.20   | SWT004029      | 7.50<br>mm  | 4.40<br>mm | 2.80-3.80               | No 2A Special<br>Cross Leg | CuZn-<br>63/37 | Spool-3000<br>Cut-1000                  |
| 3.10±0.20<br>4.20±0.20<br>21.00                       | SWT004031      | 8.40<br>mm  | 5.30<br>mm | 2.00-3.00               | No 3A<br>Small             | CuZn-<br>63/37 | Spool-4000<br>Cut-1000                  |
| 5.25  | SWT004032      | 10.50<br>mm | 5.60<br>mm | 3.00-4.00               | No 3                       | CuZn-<br>63/37 | Spool-N/A<br>Cut-1000                   |
| 4.50+0.20<br>4.50+0.20<br>22.20<br>3.60+0.20<br>22.20 | SWT004033      | 9.00<br>mm  | 5.60<br>mm | 2.50-3.50               | No 3A                      | CuZn-<br>63/37 | Spool-3000<br>Cut-1000                  |
| 4.00+0.20<br>4.00+0.20<br>22.50<br>22.50              | SWT004034      | 8.90<br>mm  | 5.00<br>mm | 2.50-3.00               | No 3A<br>Standard          | CuZn-<br>63/37 | Spool-3000<br>Cut-1000                  |



| RING SERIES<br>TERMINALS         | PART<br>NUMBER | OD<br>Ø     | ID<br>Ø    | CABLE<br>SIZE<br>SQ. MM | DESCRIPTION      | MATERIAL       | STANDARD<br>PACKING<br>SPOOL / CUT QTY. |
|----------------------------------|----------------|-------------|------------|-------------------------|------------------|----------------|---|
| 5.60<br>10.90<br>B               | SWT004036      | 10.90<br>mm | 5.60<br>mm | 3.00-4.00               | No 3B            | CuZn-<br>63/37 | Spool-N/A<br>Cut-1000                   |
| 4.00+0.20<br>4.00+0.20<br>25.00  | SWT004039      | 9.10<br>mm  | 5.10<br>mm | 3.50-4.50               | No 3A<br>Special | CuZn-<br>63/37 | Spool-3000<br>Cut-1000                  |
| 7.50                             | SWT004042      | 12.00<br>mm | 7.50<br>mm | 3.50-4.50               | No 4             | CuZn-<br>63/37 | Spool-N/A<br>Cut-1000                   |
| 4.60+0.20<br>4.60+0.20<br>26.70  | SWT004043      | 12.00<br>mm | 8.00<br>mm | 3.50-4.50               | No 4A            | CuZn-<br>63/37 | Spool-2000<br>Cut-1000                  |
| 7.20<br>13.10<br>8<br>30.20      | SWT004046      | 13.10<br>mm | 7.20<br>mm | 4.50-5.50               | No 4B            | CuZn-<br>63/37 | Spool-N/A<br>Cut-1000                   |
| 5.00+0.20<br>30.20<br>12.50<br>8 | SWT004049      | 12.50<br>mm | 6.50<br>mm | 2.50-3.50               | No 4B<br>Special | CuZn-<br>63/37 | Spool-N/A<br>Cut-1000                   |
| 9.60<br>16.40<br>30.50           | SWT004052      | 16.40<br>mm | 9.60<br>mm | 4.00-5.00               | No 5             | CuZn-<br>63/37 | Spool-N/A<br>Cut-1000                   |



| RING / FORK / JOINTER SERIES<br>TERMINALS | PART<br>NUMBER | OD<br>Ø     | ID<br>Ø     | CABLE<br>SIZE<br>SQ. MM | DESCRIPTION            | MATERIAL       | STANDARD<br>PACKING<br>SPOOL / CUT QTY. |
|---|----------------|-------------|-------------|-------------------------|------------------------|----------------|---|
| 3.70±0.20<br>4.80±0.20<br>32.00           | SWT004053      | 16.00<br>mm | 10.50<br>mm | 3.00-4.00               | No 5A                  | CuZn-<br>63/37 | Spool-1500<br>Cut-1000                  |
| 10.50<br>18.75<br>18.75<br>18.75          | SWT004056      | 18.75<br>mm | 10.50<br>mm | 5.00-6.00               | No 5A<br>Heavy         | CuZn-<br>63/37 | Spool-1000<br>Cut-1000                  |
| 4.50±0.20<br>10.00<br>18.40<br>35.00      | SWT004059      | 18.40<br>mm | 10.00<br>mm | 5.00-6.00               | No 5A Heavy<br>Special | CuZn-<br>63/37 | Spool-1000<br>Cut-1000                  |
|   |                |             |             |                         |                        |                |   |
|   |                |             |             |                         |                        |                |   |
|   |                |             |             |                         |                        |                |   |
|   |                |             |             |                         |                        |                |   |



| JOINTER / FORK SERIES<br>TERMINALS       | PART<br>NUMBER | OD<br>Ø     | ID<br>Ø    | CABLE<br>SIZE<br>SQ. MM | DESCRIPTION            | MATERIAL       | STANDARD<br>PACKING<br>SPOOL / CUT QTY. |
|--|----------------|-------------|------------|-------------------------|------------------------|----------------|---|
| 3.60<br>11.90                            | SWT005001      | NA          | NA         | 1.80-2.80               | JTS 3 Way<br>Terminal  | CuZn-<br>63/37 | Spool-2500<br>Cut-1000                  |
| 6.50<br>B B 800                          | SWT005006      | N/A         | N/A        | 1.30-2.30               | Glass Fuse<br>Terminal | CuZn-<br>63/37 | Spool-5000<br>Cut-1000                  |
| 5.20 Tick- 0.50                          | SWT005009      | N/A         | N/A        | 2.00-3.00               | JTM<br>Terminal        | CuZn-<br>63/37 | Spool-5000<br>Cut-1000                  |
| 4.00 Hick- 0.40                          | SWT005011      | N/A         | N/A        | 2.70-3.80               | JTS<br>Terminal        | CuZn-<br>63/37 | Spool-10000<br>Cut-1000                 |
| 0.35±0.02<br>0.35±0.02<br>0.35±0.02      | SWT006006      | 12.00<br>mm | 6.50<br>mm | 2.00-3.00               | LE106                  | CuZn           | Cut-1000                                |
| 10.20<br>4.50+0.20<br>4.50+0.20<br>21.80 | SWT006007      | 10.20<br>mm | 5.20<br>mm | 3.50-4.50               | LE107<br>U Type        | CuZn           | Spool-3000<br>Cut-1000                  |
|  |                |             |            |                         |                        |                |   |



| BULLET SERIES<br>TERMINALS                       | PART<br>NUMBER | TAB SIZE   | CABLE<br>SIZE<br>SQ. MM | DESCRIPTION | MATERIAL       | STANDARD<br>PACKING<br>SPOOL / CUT QTY. |
|--|----------------|------------|-------------------------|-------------|----------------|---|
| 4.10-<br>B 17.00                                 | SWT007003F     | 3.80<br>mm | 1.50-2.50               | CB103       | CuZn-<br>63/37 | Spool-10000<br>Cut-1000                 |
| 3.50<br>0.25+0.05 16.30<br>2.30<br>8.00<br>8.00  | SWT007003M     | 3.50<br>mm | 1.50-2.50               | CA103       | CuZn-<br>63/37 | Spool-10000<br>Cut-1000                 |
| 17.00<br>B B B A A A A A A A A A A A A A A A A A | SWT007004F     | 4.10<br>mm | 1.50-2.50               | CB104       | CuZn-<br>63/37 | Spool-8000<br>Cut-1000                  |
| 17.30<br>2.80<br>3.50 m 4<br>9.40 m 4            | SWT007004M     | 4.00<br>mm | 1.50-2.50               | CA104       | CuZn-<br>63/37 | Spool-8000<br>Cut-1000                  |
| 23,20  | SWT007005F     | 5.40<br>mm | 2.00-3.00               | CB105       | CuZn-<br>63/37 | Spool-4000<br>Cut-1000                  |
| 4.50   | SWT007005M     | 4.40<br>mm | 2.00-3.00               | CA105       | CuZn-<br>63/37 | Spool-4000<br>Cut-1000                  |
| 20,000   | SWT007006      | 3.96<br>mm | 1.90-2.90               | 2 Way 104   | CuZn-<br>63/37 | Spool-2500<br>Cut-1000                  |



| BULLET SERIES<br>TERMINALS                   | PART<br>NUMBER | TAB SIZE   | CABLE<br>SIZE<br>SQ. MM | DESCRIPTION       | MATERIAL       | STANDARD<br>PACKING<br>SPOOL / CUT QTY. |
|--|----------------|------------|-------------------------|-------------------|----------------|---|
| 10.0+0.20<br>05:21<br>05:20<br>05:31<br>05:9 | SWT007007      | 3.50<br>mm | 1.50-2.50               | 3 Way<br>Terminal | CuZn-<br>63/37 | Spool-2500<br>Cut-1000                  |
| 13.00  | SWT007008      | 4.50<br>mm | 1.50-2.50               | 4 Way<br>Terminal | CuZn-<br>63/37 | Spool-2000<br>Cut-1000                  |
| 13.00<br>00.91<br>00.51.1<br>25.1.1<br>4.00  | SWT007009      | 4.50<br>mm | 1.50-2.50               | 4 Way<br>Terminal | CuZn-<br>63/37 | Spool-2000<br>Cut-1000                  |
|  |                |            |                         |                   |                |   |
|  |                |            |                         |                   |                |   |
|  |                |            |                         |                   |                |   |
|  |                |            |                         |                   |                |   |



| FUSE SERIES<br>TERMINALS   | PART<br>NUMBER | TAB SIZE   | CABLE<br>SIZE<br>SQ. MM | DESCRIPTION | MATERIAL       | STANDARD<br>PACKING<br>SPOOL / CUT QTY. |
|--|----------------|------------|-------------------------|-------------|----------------|---|
| 12.30 <sub>8.40</sub> 3.60 2.20<br>.6. 4.30 5.80 28.50   | SWT008001      | 0.80<br>mm | 2.00-3.20               | MFT         | CuZn-<br>63/37 | Spool-2000<br>Cut-1000                  |
| 7.10  5.20  7.10  5.20  7.10  5.20  7.10           | SWT008011      | 0.80<br>mm | 2.00-3.20               | MFT New     | CuZn-<br>63/37 | Spool-2000<br>Cut-N/a                   |
| 4.30<br>1.20   4.30   4.50   2.00<br>4.30<br>20.50  7.10<br>7.40  7.10  7. | SWT008021      | 0.80<br>mm | 2.50-3.50               | FT          | CuZn-<br>63/37 | Spool-1500<br>Cut-1000                  |
| 9.50<br>3.70+0.20<br>4.60<br>3.70+0.20<br>20.50<br>3.70+0.20<br>20.50<br>8.40<br>8.40  | SWT008031      | 0.80<br>mm | 1.80-2.80               | MFT Window  | CuZn-<br>63/37 | Spool-2000<br>Cut-1000                  |
|  |                |            |                         |             |                |   |
|  |                |            |                         |             |                |   |
|  |                |            |                         |             |                |   |



| 09      | 90 SERIES TERM        | INALS   | PART<br>NUMBER | TAB SIZE  | CABLE<br>SIZE<br>SQ. MM | DESCRIPTION                       | MATERIAL       | STANDARD<br>PACKING<br>SPOOL / CUT QTY. |
|---------|-----------------------|---|----------------|-----------|-------------------------|-----------------------------------|----------------|---|
|         | C 1.70 B A            | 1.80+0.20<br>4.10+0.20<br>17.40                         | SWT009001F     | 2.2<br>mm | 1.40-2.00               | 2.2 Female                        | CuZn-<br>63/37 | Spool-3500<br>Cut-1000                  |
|         | 2.20<br>3.00<br>B A A | 1.80+0.20<br>0.05<br>1.90<br>4.00+0.20<br>7.70<br>26.80 | SWT009001M     | 2.2<br>mm | 1.40-2.00               | 2.2 Male                          | CuZn-<br>63/37 | Spool-3500<br>Cut-1000                  |
| Control |                       | 2.45  | SWT009002F     | 2.2<br>mm | 1.50-2.30               | 2.2 Female<br>Water Proof         | CuZn-<br>63/37 | Spool-3500<br>Cut-1000                  |
|         | 2.20 3.00 B A A       | 1.80+0.20<br>0.05<br>4.00+0.20<br>0.06<br>1.90<br>26.80 | SWT009002M     | 2.2<br>mm | 1.50-2.30               | 2.2 Male<br>Water Proof           | CuZn-<br>63/37 | Spool-3500<br>Cut-1000                  |
|         | 3.10±0.10 3.6         | 0±0.10  | SWT009003F     | 2.2<br>mm | 1.50-2.30               | 2.2 Female<br>Lock Water<br>Proof | CuZn-<br>63/37 | Spool-3500<br>Cut-1000                  |
| 5       |                       |   |                |           |                         |                                   |                |   |
| 5       |                       |   |                |           |                         |                                   |                |   |



| 0110 SERIES TERMINALS                            | PART<br>NUMBER | TAB SIZE  | CABLE<br>SIZE<br>SQ. MM | DESCRIPTION                | MATERIAL       | STANDARD<br>PACKING<br>SPOOL / CUT QTY. |
|--|----------------|-----------|-------------------------|----------------------------|----------------|---|
| 2.50+0.20<br>2.20 3.40+0.20<br>2.20 21.00 21.00  | SWT011001M     | 2.8<br>mm | 1.40-2.10               | 2.8 Male<br>Lock           | CuZn-<br>63/37 | Spool-10000<br>Cut-1000                 |
| 2.50-0.20  | SWT011002M     | 2.8<br>mm | 1.40-2.10               | 2.8 Male Lock<br>Side Feed | CuZn-<br>63/37 | Spool-4000<br>Cut-1000                  |
| 2.80±0.10<br>1.30±0.02<br>1.42±0.02<br>1.00±0.02 | SWT011003M     | 2.8<br>mm | 1.40-2.10               | 2.8 Male<br>Lock Zigzag    | CuZn-<br>63/37 | Spool-10000<br>Cut-1000                 |
| 2.80±0.10<br>1.30±0.02<br>21.00±0.02             | SWT011004M     | 2.8<br>mm | 1.40-2.10               | 2.8 Male<br>Plain          | CuZn-<br>63/37 | Spool-10000<br>Cut-1000                 |
| 3.00+0.20<br>3.00+0.20<br>1.5.80                 | SWT011004F     | 3.2<br>mm | 1.40-2.10               | 3.2 Female<br>Lock         | CuZn-<br>63/37 | Spool-3500<br>Cut-1000                  |
|  | SWT011005F     | 2.8<br>mm | 1.40-2.10               | 2.8 Female<br>Dimple       | CuZn-<br>63/37 | Spool-10000<br>Cut-1000                 |
| 3.10±0.1<br>1.80±0.1<br>1.80±0.1                 | SWT011006F     | 2.3<br>mm | 1.00-2.10               | Butterfly<br>Female        | CuZn-<br>63/37 | Spool-7000<br>Cut-1000                  |



|   | 0187 SERIES<br>RMINALS   | PART<br>NUMBER | TAB SIZE   | CABLE<br>SIZE<br>SQ. MM | DESCRIPTION           | MATERIAL       | STANDARD<br>PACKING<br>SPOOL / CUT QTY. |
|---|--|----------------|------------|-------------------------|-----------------------|----------------|---|
|   | 1.90<br>1.80<br>1.80<br>2.15   | SWT011011      | 2.8<br>mm  | N/A                     | 2.8 Male<br>CDI Patti | CuZn-<br>63/37 | Spool-N/A<br>Cut-1000                   |
|   | 2.80+0.20<br>2.80+0.20<br>15.50  | SWT018700S     | 4.80<br>mm | 1.30-2.30               | 4.8 Female<br>Slot    | CuZn-<br>63/37 | Spool-8000<br>Cut-1000                  |
|   | 2.80 <u>-0.20</u> 2.80 <u>-0.20</u> 3.80   | SWT018700L     | 4.80<br>mm | 1.30-2.30               | 4.8 Female<br>Lock    | CuZn-<br>63/37 | Spool-8000<br>Cut-1000                  |
|   | 5.75   | SWT018711      | 4.80<br>mm | 1.20.2.00               | 4.8 Positive<br>Lock  | CuZn-<br>63/37 | Spool-8000                              |
| Y | 2.70±0.10<br>2.50±0.10<br>0.34±0.02  | SWT018712      | 4.80<br>mm | 1.20.2.00               | 4.8 Female<br>In Lock | CuZn-<br>63/37 | Spool-8000                              |
|   | 3.80+0.20  | SWT018715      | 0.50<br>mm | 1.50-2.30               | 4.8 Male              | CuZn-<br>63/37 | Spool-7000<br>Cut-1000                  |
| 1 | 8.0040.1<br>6.000.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0<br>7.20040.0 | SWT018716      | 0.30<br>mm | 0.90-1.50               | 5.1 Male<br>Patti     | CuZn-<br>63/37 | Spool-10000<br>Cut-00                   |



| 0250 SERIES<br>TERMINALS                  | PART<br>NUMBER | TAB SIZE   | CABLE<br>SIZE<br>SQ. MM | DESCRIPTION                             | MATERIAL       | STANDARD<br>PACKING<br>SPOOL / CUT QTY. |
|---|----------------|------------|-------------------------|---|----------------|---|
| 3.70±0.20 3.70±0.20 19.00  19.00  0       | SWT025001      | 6.40<br>mm | 2.00-3.20               | No 18<br>6.4 Female<br>Slot             | CuZn-<br>63/37 | Spool-4000<br>Cut-1000                  |
| 7.40.10-18.60<br>7.10+0.10-18.60          | SWT025002      | 6.00<br>mm | 2.00-3.20               | No 18<br>6.4 Female<br>Lock             | CuZn-<br>63/37 | Spool-4000<br>Cut-1000                  |
| 7,40 3.60+0.20 2.50+0.20 18.60  18.60     | SWT025003      | 6.00<br>mm | 2.00-3.20               | No 18<br>6.4 Female<br>Plain            | CuZn-<br>63/37 | Spool-5000<br>Cut-1000                  |
| 2.60+0.20<br>3.90+0.20<br>19.00           | SWT025004      | 6.40<br>mm | 3.00-4.00               | No 18<br>6.4 Female<br>Slot<br>Long Leg | CuZn-<br>63/37 | Spool-N/A<br>Cut-1000                   |
| 4.50±0.20<br>4.50±0.20<br>19:00           | SWT025005      | 6.40<br>mm | 2.80-3.80               | No 18<br>6.4 Female<br>3 Dimple         | CuZn-<br>63/37 | Spool-N/A<br>Cut-1000                   |
| 7.50<br>4.10±0.20<br>19.20                | SWT025006      | 6.00<br>mm | 2.00-3.20               | No 18<br>6.4 Female<br>Dimple<br>Plain  | CuZn-<br>63/37 | Spool-4000<br>Cut-1000                  |
| 3.80+0.20<br>0.70+0.20<br>24.60<br>215.80 | SWT025011      | 7.30<br>mm | 1.90-2.90               | 6.4 Male<br>Window                      | CuZn-<br>63/37 | Spool-4000<br>Cut-1000                  |



| 0 SERIES<br>RMINALS  | PART<br>NUMBER | TAB SIZE   | CABLE<br>SIZE<br>SQ. MM | DESCRIPTION                      | MATERIAL       | STANDARD<br>PACKING<br>SPOOL / CUT QTY. |
|--|----------------|------------|-------------------------|----------------------------------|----------------|---|
| 2.30+0.20<br>7.00 -14.30 -2.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.30+0.20<br>2.3   | SWT025012      | 7.40<br>mm | 1.90-2.90               | 6.4 Male<br>Lock                 | CuZn-<br>63/37 | Spool-4000<br>Cut-1000                  |
| 2.30+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0.20<br>0.70+0   | SWT025013      | 7.40<br>mm | 1.90-2.90               | 6.4 Male<br>Lock<br>Without Hole | CuZn-<br>63/37 | Spool-4000<br>Cut-1000                  |
| 12.00  | SWT025014      | 7.40<br>mm | 1.90-2.80               | 6.4 Female<br>Flag Lock          | CuZn-<br>63/37 | Spool-4000<br>Cut-1000                  |
| 2.50±0.20<br>3.80±0.20<br>22.20  | SWT025015      | 7.40<br>mm | 2.00-3.00               | 6.4 Male                         | CuZn-<br>63/37 | Spool-4000<br>Cut-1000                  |
| 15.55<br>DD C C C C C C C C C C C C C C C C C C  | SWT025016      | 7.40<br>mm | 1.90-2.80               | 6.4 Female<br>Flag Slot          | CuZn-<br>63/37 | Spool-4000<br>Cut-1000                  |
| 1.90<br>3.500<br>1.90<br>1.90<br>3.500<br>2.00<br>1.90<br>1.90<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00<br>2.00 | SWT025017      | 7.40<br>mm | 1.90-2.80               | 6.4 Female<br>Non Insulated      | CuZn-<br>63/37 | Spool-4000<br>Cut-1000                  |
|  |                |            |                         |                                  |                |   |



| 0312 SERIES<br>TERMINALS                                 | PART<br>NUMBER | TAB SIZE   | CABLE<br>SIZE<br>SQ. MM | DESCRIPTION          | MATERIAL       | STANDARD<br>PACKING<br>SPOOL / CUT QTY. |
|--|----------------|------------|-------------------------|----------------------|----------------|---|
| 8.70 4.50+0.20<br>22.20                                  | SWT031201      | 7.70<br>mm | 3.10-4.20               | 8.3 Female<br>Slot   | CuZn-<br>63/37 | Spool-N/A<br>Cut-1000                   |
| 8.70 4.50±0.20<br>22.20                                  | SWT031202      | 7.70<br>mm | 3.10-4.20               | 8.3 Female<br>Dimple | CuZn-<br>63/37 | Spool-N/A<br>Cut-1000                   |
| 4.30+0.20<br>10.50<br>28.50<br>23.30                     | SWT031211      | 7.75<br>mm | 3.80-4.80               | 8.3 Female<br>Lock   | CuZn-<br>63/37 | Spool-2000<br>Cut-1000                  |
| 2.20<br>2.80+0.20<br>2.9.30 2.50                         | SWT031212      | 8.85<br>mm | 3.80-4.80               | 8.3 Male<br>Lock     | CuZn-<br>63/37 | Spool-2000<br>Cut-1000                  |
| 2.90+0.20  | SWT031213      | 7.75<br>mm | 3.20-4.20               | 8.3 Female<br>Box    | CuZn-<br>63/37 | Spool-1500<br>Cut-1000                  |
| 4.20+0.20<br>4.20+0.20<br>30.00<br>30.00<br>18.50 2.00 a | SWT031214      | 8.95<br>mm | 3.20-4.20               | 8.3 Male<br>Window   | CuZn-<br>63/37 | Spool-1500<br>Cut-1000                  |
| 17.20<br>17.20<br>13.40                                  | SWT031221      | 8.85<br>mm | 2.50-3.50               | 8.3 Female<br>Flag   | CuZn-<br>63/37 | Spool-2000<br>Cut-1000                  |



| 0312 / 0375 SERIES<br>TERMINALS  | PART<br>NUMBER | TAB SIZE   | CABLE<br>SIZE<br>SQ. MM | DESCRIPTION                  | MATERIAL       | STANDARD<br>PACKING<br>SPOOL / CUT QTY. |
|--|----------------|------------|-------------------------|------------------------------|----------------|---|
| 8.30 4.00+0.20 2.10+0.20<br>6.80 19.50   | SWT031226      | 8.85<br>mm | 2.30-3.30               | 8.3 China                    | CuZn-<br>63/37 | Spool-4000<br>Cut-1000                  |
| 6.80<br>1.30<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50<br>1.50 | SWT031251      | N/A        | 1.90-2.80               | Button<br>Terminal           | CuZn-<br>63/37 | Spool-7000<br>Cut-1000                  |
| 3.90+0.20<br>11.00<br>24.20  | SWT037501      | 9.35<br>mm | 3.30-4.40               | No 18C<br>9.5 Female<br>Slot | CuZn-<br>63/37 | Spool-N/A<br>Cut-1000                   |
|  |                |            |                         |                              |                |   |
|  |                |            |                         |                              |                |   |
|  |                |            |                         |                              |                |   |
|  |                |            |                         |                              |                |   |



| SPECIAL SERIES<br>TERMINALS  | PART<br>NUMBER | TAB SIZE | CABLE<br>SIZE<br>SQ. MM | DESCRIPTION                        | MATERIAL       | STANDARD<br>PACKING<br>SPOOL / CUT QTY. |
|--|----------------|----------|-------------------------|------------------------------------|----------------|---|
| 2.00 1.90+0.20<br>2.60 2.50 8 A  | SWT099008      | 6.40 mm  | 1.50-2.50               | 6.4 Positive<br>Lock               | CuZn-<br>63/37 | Spool-1250<br>Cut-1000                  |
| 3.80.65<br>8.50<br>3.00+0.20<br>3.00+0.20<br>1.90<br>17.50   | SWT099012      | 2.20 mm  | 1.50-2.50               | 2.2 Female<br>Box Terminal         | CuZn-<br>63/37 | Spool-2500<br>Cut-1000                  |
| 1,70+0,20<br>4,801,000, 3,00+0,20<br>1,800<br>22,20  | SWT099023      | 0.80 mm  | 1.20-2.20               | Sensor<br>Terminal                 | CuZn-<br>63/37 | Spool-3000<br>Cut-1000                  |
| 1.80+0.20<br>1.80+0.20<br>17.40  | SWT099025      | 2.20 mm  | 0.80-1.80               | 2.2 Double<br>Side Lock<br>Female  | CuZn-<br>63/37 | Spool-3500<br>Cut-1000                  |
| 1.80<br>0.30<br>0.65<br>0.65<br>0.70<br>0.70   | SWT099026      | 2.40 mm  | 0.80-1.80               | 2.2 Double<br>Side Lock<br>Male    | CuZn-<br>63/37 | Spool-3500<br>Cut-1000                  |
| 4.15<br>2.10<br>3.00<br>4.15<br>3.00<br>4.15<br>3.00<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15<br>4.15 | SWT099035      | N/A      | 1.50-2.50               | 2.2 Shutter<br>Folding<br>Terminal | CuZn-<br>63/37 | Spool-4000<br>Cut-1000                  |
| 16.00  | SWT099054      | 0.50 mm  | 0.80-1.90               | Bulb Holder<br>Terminal            | CuZn-<br>63/37 | Spool-10000<br>Cut-1000                 |



| SPECIAL SERIES TERMINALS | PART<br>NUMBER | TAB SIZE | CABLE<br>SIZE<br>SQ. MM | DESCRIPTION                          | MATERIAL       | STANDARD<br>PACKING<br>SPOOL / CUT QTY. |
|--------------------------|----------------|----------|-------------------------|--------------------------------------|----------------|---|
| 15.00                    | SWT099059      | 0.50 mm  | 0.80-1.90               | Bulb Holder<br>Terminal<br>With Hole | CuZn-<br>63/37 | Spool-10000<br>Cut-1000                 |
|                          |                |          |                         |                                      |                |   |
|                          |                |          |                         |                                      |                |   |
|                          |                |          |                         |                                      |                |   |
|                          |                |          |                         |                                      |                |   |
|                          |                |          |                         |                                      |                |   |
|                          |                |          |                         |                                      |                |   |



|   | BRASS LUGS  | PART<br>NUMBER | DESCRIPTION                 | MATERIAL       | STANDARD<br>PACKING<br>CUT QTY. |
|---|---|----------------|-----------------------------|----------------|---------------------------------|
| P | Ø 8.50 Ø 18.40 ————————————————————————————————————       | SBL011101      | Maruti Lugs<br>Economy      | CuZn-<br>63/37 | Cut-12 Pcs.                     |
|   | Ø 8.50 Ø 18.40 ————————————————————————————————————       | SBL011102      | Maruti Lugs                 | CuZn-<br>63/37 | Cut-12 Pcs.                     |
|   | 30.00   | SBL011111      | Maruti Van Type             | CuZn-<br>63/37 | Cut-12 Pcs.                     |
|   | 19.60   | SBL011112      | Maruti Car Type             | CuZn-<br>63/37 | Cut-12 Pcs.                     |
| 9 | 10.00+0.2<br>1.30±0.05<br>1.30±0.05<br>40.20<br>1.30±0.05 | SBL011116      | Small Open                  | CuZn-<br>63/37 | Cut-12 Pcs.                     |
| 8 | 22.20   | SBL011118      | Small Open<br>Inter DI Hole | CuZn-<br>63/37 | Cut-12 Pcs.                     |
|   | 1.30  | SBL011121      | Small U Type                | CuZn-<br>63/37 | Cut-12 Pcs.                     |



|   | BRASS LUGS                                   |  | PART<br>NUMBER | DESCRIPTION                      | MATERIAL       | STANDARD<br>PACKING<br>CUT QTY. |
|---|--|--|----------------|----------------------------------|----------------|---------------------------------|
|   | Ø19.00±0.05<br>Ø11.00±0.10                   | 42.80±0.30                                 | SBL011122      | Big Hole<br>Open U Type<br>OEM   | CuZn-<br>63/37 | Cut-12 Pcs.                     |
| 9 | Ø19.00±0.10<br>Ø9.00±0.10<br>S<br>19.05±0.05 | 42.80±0.30 — 1.50±0.20                     | SBL011123      | Small Hole<br>Open U Type<br>OEM | CuZn-<br>63/37 | Cut-12 Pcs.                     |
|   | 17.50  | 90<br>1 1 4.80 1                           | SBL011125      | Small Close                      | CuZn-<br>63/37 | Cut-12 Pcs.                     |
|   | 17.00  | 39.60 ———————————————————————————————————— | SBL011129      | Sleek White                      | CuZn-<br>63/37 | Cut-12 Pcs.                     |
|   | Ø10.05±0.10 Ø33,50±0.10                      | 0.90±0.05                                  | SBL011132      | ОЕМ Туре                         | CuZn-<br>63/37 | Cut-12 Pcs.                     |
|   | Ø10.05±0.10 Ø33,50±0.10                      | 1.00±0.05                                  | SBL011133      | ОЕМ Туре                         | CuZn-<br>63/37 | Cut-12 Pcs.                     |
|   | Ø10.05±0.10<br>Ø23.50±0.10                   | 1.10±0.05                                  | SBL011134      | ОЕМ Туре                         | CuZn-<br>63/37 | Cut-12 Pcs.                     |



| BRASS LUGS                 |                                       | PART<br>NUMBER | DESCRIPTION          | MATERIAL       | STANDARD<br>PACKING<br>CUT QTY. |
|----------------------------|---------------------------------------|----------------|----------------------|----------------|---------------------------------|
| Ø10.05±0.10 Ø23.50±0.10    | 1.20±0.05<br>48.60±0.20<br>11.80±0.20 | SBL011135      | ОЕМ Туре             | CuZn-<br>63/37 | Cut-12 Pcs.                     |
| Ø10.05±0.10<br>Ø23.50±0.10 | 1.30±0.05<br>48.60±0.20<br>11.80±0.20 | SBL011136      | ОЕМ Туре             | CuZn-<br>63/37 | Cut-12 Pcs.                     |
| Ø10.05±0.10<br>Ø23.50±0.10 | 1.50±0.05<br>                         | SBL011137      | ОЕМ Туре             | CuZn-<br>63/37 | Cut-12 Pcs.                     |
| Ø10.05‡0.10<br>Ø23.50±0.10 | 1.70±0.05<br>22.30±0.20<br>48.60±0.20 | SBL011138      | ОЕМ Туре             | CuZn-<br>63/37 | Cut-12 Pcs.                     |
| Ø10.05±0.10 Ø2350bb0 10    | 1.80±0.05<br>48.60±0.20<br>11.80±0.20 | SBL011139      | ОЕМ Туре             | CuZn-<br>63/37 | Cut-12 Pcs.                     |
| 1.00+0.01                  | 1.10±0.05<br>50.40±0.3                | SBL011144      | No 16<br>Light Duty  | CuZn-<br>63/37 | Cut-12 Pcs.                     |
| 1.00+0.22                  | 1.30±0.05<br>50.40±0.3                | SBL011146      | No 14<br>Medium Duty | CuZn-<br>63/37 | Cut-12 Pcs.                     |



|   | BRASS LUGS  |   | PART<br>NUMBER | DESCRIPTION                          | MATERIAL       | STANDARD<br>PACKING<br>CUT QTY. |
|---|---|---|----------------|--------------------------------------|----------------|---------------------------------|
|   | 11.50+0.2<br>11.50+0.2<br>11.50+0.2<br>12.00+0.2<br>12.00+0.2 | 1.50+0.05                               | SBL011148      | No 12<br>Heavy Duty                  | CuZn-<br>63/37 | Cut-12 Pcs.                     |
|   | 11.50+0.2<br>15.00+0.2<br>15.00+0.2<br>15.00+0.2              | 1.95±0.05                               | SBL011150      | No 10 Extra<br>Heavy Duty            | CuZn-<br>63/37 | Cut-12 Pcs.                     |
|   | 11.50+0.2<br>15.00+0.2<br>15.00+0.2                           | 2.10+0.05                               | SBL011152      | No 8 Extra<br>Ordinary<br>Heavy Duty | CuZn-<br>63/37 | Cut-12 Pcs.                     |
|   | 25.10   | 19.10                                   | SBL011158      | Big Open U Type                      | CuZn-<br>63/37 | Cut-12 Pcs.                     |
|   | 23.60   | -22.007                                 | SBL011160      | Big Close Round                      | CuZn-<br>63/37 | Cut-12 Pcs.                     |
|   | 12.50   | 1.50±0.05                               | SBL011164      | Big Open U Type<br>White             | CuZn-<br>63/37 | Cut-12 Pcs.                     |
| 8 | 24.50   | S <sub>1</sub> 12.50 <sub>1</sub> 18.60 | SBL011168      | Special White                        | CuZn-<br>63/37 | Cut-12 Pcs.                     |



#### **BRASS LUGS & BATTERY TERMINAL**

| BRASS LUGS & SHEET TERMINAL  | PART<br>NUMBER | DESCRIPTION  | MATERIAL       | STANDARD PACKING CUT QTY. |
|--|----------------|--|----------------|---------------------------|
| 24.50<br>1.50<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.1.10<br>1.10<br>1.10<br>1.10<br>1.10<br>1.10<br>1.1 | SBL011171      | Inter DI Big Hole  | CuZn-<br>63/37 | Cut-12 Pcs.               |
| 20.90 12.00 25.50 16.80 16.80 16.80 16.80 16.80 1  | SBL011175      | OE Type<br>(Negative & Positive)                               | CuZn-<br>63/37 | Cut-12 Pcs.               |
| Ø9.00±0.10  S Ø19.00±0.10  17.00±0.10  | SBL011179      | L Type<br>OEM  | CuZn-<br>63/37 | Cut-12 Pcs.               |
| 13.80<br>49.00<br>(49.00   | SBT011311      | Suitable for : Tata Ace<br>(Negative & Positive)               | CuZn-<br>63/37 | Cut-12 Pcs.               |
| 5 8 29.00 - 29.10 - 29.10  | SBT011312      | Suitable for : Tata Sumo<br>(Negative & Positive)              | CuZn-<br>63/37 | Cut-12 Pcs.               |
| 56.50  | SBT011313      | Suitable for : Tata Sumo<br>New Model<br>(Negative & Positive) | CuZn-<br>63/37 | Cut-12 Pcs.               |
|  |                |  |                |                           |



#### **BRASS BATTERY TERMINAL**

































#### **BRASS BATTERY TERMINAL**































Note :- Above Prices for 12 Pcs. Packet



#### **BATTERY CABLE SET**

| BATTERY CABLE FITTING |           |                       |        |
|-----------------------|-----------|-----------------------|--------|
|                       | PART No.  | SIZE FOR<br>IDEA ONLY | MM     |
|                       | STC0012TL | 12"                   | 305mm  |
|                       | STC0018TL | 18"                   | 458mm  |
|                       | STC0024TL | 24"                   | 610mm  |
|                       | STC0030TL | 30"                   | 762mm  |
|                       | STC0036TL | 36"                   | 915mm  |
|                       | STC0042TL | 42"                   | 1067mm |

| BATTERY JOINTER BOTH SIDE TERMINAL |           |                       |        |  |
|------------------------------------|-----------|-----------------------|--------|--|
|                                    | PART No.  | SIZE FOR<br>IDEA ONLY | MM     |  |
|                                    | SBC0012BT | 12"                   | 305mm  |  |
|                                    | SBC0018BT | 18"                   | 458mm  |  |
|                                    | SBC0024BT | 24"                   | 610mm  |  |
|                                    | SBC0030BT | 30"                   | 762mm  |  |
|                                    | SBC0036BT | 36"                   | 915mm  |  |
|                                    | SBC0042BT | 42"                   | 1067mm |  |

| BATTERY TERMINAL JOINTER |           |                       |        |
|--------------------------|-----------|-----------------------|--------|
|                          | PART No.  | SIZE FOR<br>IDEA ONLY | MM     |
|                          | SBC0012DL | 12"                   | 305mm  |
|                          | SBC0018DL | 18"                   | 458mm  |
|                          | SBC0024DL | 24"                   | 610mm  |
|                          | SBC0030DL | 30"                   | 762mm  |
|                          | SBC0036DL | 36"                   | 915mm  |
|                          | SBC0042DL | 42"                   | 1067mm |

Note :- All are Available in 10 Pcs. Packing





Note :- All are Available in 10 Pcs. Packing



#### **BATTERY CABLE SET**









Note :- Any Other any Available By Customer Specification

| 48 | 1/18 |   | <b>1</b> |
|----|------|---|----------|
|    | 15   | 1 |          |
|    | "    |   |          |
|    |      |   |          |

| JUMPER CABLE SET |       |        |  |  |
|------------------|-------|--------|--|--|
| PART No.         | METER | MM     |  |  |
| SBC000031        | 1.8   | 1800mm |  |  |
| SBC000034        | 2.5   | 2500mm |  |  |
| SBC000036        | 3     | 3000mm |  |  |
| SBC000038        | 4     | 4000mm |  |  |
| SBC000042        | 6     | 6000mm |  |  |

Note :- Available in 1 Set Packing



| FLAT EARTHING WIRE |                       |           |  |  |
|--------------------|-----------------------|-----------|--|--|
| PART No.           | SIZE FOR<br>IDEA ONLY | Meter/MM  |  |  |
| SEW000001          | Roll                  | 7.5 Meter |  |  |
| SEW000012          | 12"                   | 305mm     |  |  |
| SEW000015          | 15"                   | 381mm     |  |  |
| SEW000018          | 18"                   | 458mm     |  |  |
| SEW000024          | 24"                   | 610mm     |  |  |

Note:- Available in 12 Pcs. Packing



# **CHARGING CLIP**

















# **SWITCHES**

























# **FLASHER**



2 WHEELER RELAY



**HEAD LIGHT RELAY** 



**TUNER** 

**\*** 

**RELAY** 

**FUSE** 

\*

**TERMINAL CAPS** 



RUBBER **GROMMET** 



CORRUGATED **PIPES** 



**HEAT SHRINK SLEEVE (TUBE)** 



**PVC SLEEVES** 



PVC & **COTTON TAPE** 



















# **TABLE OF CONTENTS**

| FLASHER / RELAY / TUNER                                    |         |
|--|---------|
| Flasher / 2 Wheeler Relay                                  | 33      |
| Head Light Relay / Tuner                                   | 34      |
| Starting Relay   | 34 - 35 |
|  |         |
|  |         |
| FUSE / DIP MOULDING  |         |
| Standard Fuse  | 36      |
| Mini Fuse  | 37      |
| Slow Blow Female & Male Fuse Glass & Other Fuse            | 38 - 39 |
| Glass & Other Luse   |         |
| Dip Moulding Terminal Cap                                  | 40 - 42 |
| Rubber Grommet & Terminal Seal                             | 43      |
|  |         |
|  |         |
| PLASTIC COMPONENT  |         |
| Corrugated Pipe  | 44      |
| Flexible Polyamide Conduit PG / Metric Gland With Lock Nut |         |
| 1 67 Metrie Giaria With Look Nat                           |         |
| Heat Shrink Sleeve (Tube)                                  | 45      |
| PVC Sleeve   | 46      |
| Dull Sleeve<br>PVC Tape                                    |         |
| Insulation Tape Cotton Tape                                |         |
|  |         |





# **FLASHER & 2 WHEELER RELAY**









































Note: - All are Available in 10 Pcs. Packing



# **HEAD LIGHT RELAY / TUNER & STARTING RELAY**























































































# STANDARD FUSE





# **MINI FUSE**












































# SLOW BLOW FEMALE, MALE, & GLASS FUSE






































Note: - All are Available in 100 Pcs. Packing



# **OTHER FUSE**































# **DIP MOULDING TERMINAL CAP**










































Note :- All are Available in 100 Pcs. Packing



# **DIP MOULDING TERMINAL CAP**









































Note :- All are Available in 100 Pcs. Packing



# **DIP MOULDING TERMINAL CAP**











































# **RUBBER GROMMET & TERMINAL SEAL**











































Note:- All are Available in 100 Pcs. Packing



# **PLASTIC COMPONENTS**

# **CORRUGATED PIPE**



# **FLEXIBLE POLYAMIDE CONDUIT (EXPORT QUALITY)**

| FLEXIBLE POLYAMIDE CONDOTT (EXPORT QUALITY) |           |                    |       |      |                 |
|---|-----------|--------------------|-------|------|-----------------|
|   | PART No.  | HOSE SIZE          | IDMM  | ODMM | ROLL (In Meter) |
|   | SI0200107 | PG-07              | 6.5   | 10   | 100             |
|   | SI0200109 | PG-09              | 10    | 13   | 100             |
| Outer Dimension - 10.00mm                   | SI0200111 | PG-11              | 12    | 15.8 | 50              |
| ner Dimension- 6.50mm                       | SI0200113 | PG-13              | 14    | 18.5 | 50              |
|   | SI0200116 | PG-16              | 17    | 21.2 | 50              |
|   | SI0200121 | PG-21              | 23    | 28.5 | 50              |
|   | SI0200129 | PG-29              | 29    | 34.5 | 25              |
|   | SI0200136 | PG-36              | 36    | 42.5 | 25              |
|   | SI0200148 | PG-48              | 48    | 54.5 | 25              |
|   | No        | ote :- Price Per M | leter |      |                 |

# **PG GLAND WITH LOCK NUT**

| PART No.  | HOSE SIZE | STANDARD IN PCS PACKING |
|-----------|-----------|-------------------------|
| SG0200107 | PG-07     | 100                     |
| SG0200109 | PG-09     | 100                     |
| SG0200111 | PG-11     | 100                     |
| SG0200113 | PG-13     | 100                     |
| SG0200116 | PG-16     | 100                     |
| SG0200121 | PG-21     | 100                     |
| SG0200129 | PG-29     | 50                      |
| SG0200136 | PG-36     | 10                      |
| SG0200148 | PG-48     | 10                      |

# **METRIC GLAND WITH LOCK NUT**

| PART No.   | HOSE SIZE | STANDARD IN PCS PACKING |
|------------|-----------|-------------------------|
| SGC0200107 | PG-07     | 100                     |
| SGC0200109 | PG-09     | 100                     |
| SGC0200111 | PG-11     | 100                     |
| SGC0200113 | PG-13     | 100                     |
| SGC0200116 | PG-16     | 100                     |
| SGC0200121 | PG-21     | 100                     |
| SGC0200129 | PG-29     | 50                      |
| SG0C200136 | PG-36     | 10                      |
| SG0C200148 | PG-48     | 10                      |



Mtr./Box

(Black)







Packing (Meter)

Rolls

| Part No.     | Dia (mm) | Rolls | Packing<br>(Material) | Mtr./Box<br>(Color) |
|--------------|----------|-------|-----------------------|---------------------|
| SI030SM01    | 0.6      | 23    | 200                   | 4600                |
| SI030SM02    | 0.8      | 23    | 200                   | 4600                |
| SI0300001    | 1        | 16    | 200                   | 3200                |
| SI0300001.5  | 1.5      | 12    | 200                   | 2400                |
| SI0300002    | 2        | 15    | 200                   | 3000                |
| SI0300002.5  | 2.5      | 13    | 200                   | 2600                |
| SI0300003    | 3        | 11    | 200                   | 2200                |
| SI0300003.5  | 3.5      | 9     | 200                   | 1800                |
| \$10300004   | 4        | 7     | 200                   | 1400                |
| SI0300004.5  | 4.5      | 10    | 100                   | 1000                |
| SI0300005    | 5        | 9     | 100                   | 900                 |
| \$10300005.5 | 5.5      | 8     | 100                   | 800                 |
| SI0300006R   | 6 Round  | 7     | 100                   | 700                 |
| SI0300006F   | 6 Flat   | 15    | 100                   | 1500                |
| SI0300007    | 7        | 14    | 100                   | 1400                |
| \$10300008   | 8        | 13    | 100                   | 1300                |
| SI0300009    | 9        | 12    | 100                   | 1200                |
| SI0300010    | 10       | 11    | 100                   | 1100                |
| SI0300011    | 11       | 11    | 100                   | 1100                |
| SI0300012    | 12       | 10    | 100                   | 1000                |
| SI0300013    | 13       | 9     | 100                   | 900                 |
| SI0300014    | 14       | 9     | 100                   | 900                 |
| SI0300015    | 15       | 8     | 100                   | 800                 |
| SI0300016    | 16       | 8     | 100                   | 800                 |
| SI0300017    | 17       | 7     | 100                   | 700                 |
| SI0300018    | 18       | 7     | 100                   | 700                 |
| SI0300020    | 20       | 6     | 100                   | 600                 |
| SI0300022    | 22       | 6     | 100                   | 600                 |
| SI0300025    | 25       | 6     | 50                    | 300                 |
| SI0300028    | 28       | 5     | 50                    | 250                 |
| SI0300030    | 30       | 5     | 50                    | 250                 |
| SI0300038    | 35       | 4     | 50                    | 200                 |
| SI0300040    | 40       | 4     | 50                    | 200                 |
| SI0300045    | 45       | 5     | 25                    | 125                 |
| SI0300050    | 50       | 5     | 25                    | 125                 |
| SI0300060    | 60       | 4     | 25                    | 100                 |
| SI0300070    | 70       | 3     | 25                    | 75                  |
| SI0300080    | 80       | 3     | 25                    | 75                  |
| SI0300090    | 90       | 2     | 25                    | 50                  |
| SI0300100    | 100      | 2     | 25                    | 50                  |
| SI0300120    | 120      | 2     | 25                    | 50                  |
| SI0300150    | 150      | 2     | 25                    | 50                  |
| SI0300180    | 180      | 1     | 25                    | 25                  |

# Available Colours

(in all Sizes)

Black

Transparent / Clear

White

Red

Green

Yellow

Blue





# **PLASTIC COMPONENTS**





#### **TAPE**



| PART No.  | DESCRIPTION        |
|-----------|--------------------|
| SI0501250 | MEDIUM             |
| SI0502500 | BIG                |
| SI0505000 | EXTRA BIG          |
| SI0506000 | EXTRA ORDINARY BIG |
|           |                    |

Note:- All Tape Available in 20 Pcs. of Standard Packing









**FLASHERS & RELAY CONNECTORS** 



**RELAY, HEAD LAMP & SENSOR** 



**SENSOR & SUPER SEALED** 



SINGLE FUSE



SPECIAL UNIVERSAL



**ECM CONNECTORS** 



**JOINTER CONNECTORS** 



**RELAY WITH** BASE



















# **TABLE OF CONTENTS**

| UNIVERSAL HOLDERS (Deluxe Wire Only)        |         |
|---|---------|
| 0250 Series                                 | 47      |
| 090 Series                                  | 48 - 49 |
| 0110 Series                                 | 49 - 50 |
| Shutter / 090 PBT Series                    | 50 - 51 |
| 090 Water Proof Series                      | 52 - 53 |
| Flasher / Relay Base / Head Lamp Connectors | 54 - 55 |
| JPT Sensor Connectors                       | 56      |
| Super Sealed Connectors                     | 57      |
| Sensor Connectors                           | 58      |
| Single Fuse & Combination Set               | 59      |
| Round Connectors                            | 60      |
| Special Connectors                          |         |
| 1 Pole                                      | 61      |
| 2 Pole                                      | 61 - 64 |
| 3 Pole                                      | 65 - 67 |
| 4 Pole                                      | 68 - 69 |
| 5 Pole                                      | 70      |
| 6 Pole                                      | 71      |
| 7, 8, 9, 10, 11 Pole                        | 72      |
| 12, 13, 15, 16 Pole                         | 73 - 74 |
| 18, 20, 22, 26, 32, 34 Pole                 | 74 - 75 |
| ECM Connectors                              | 76 - 77 |
| Jointer Holders                             | 78      |
| Special Holders                             | 79      |
| Relay With Base                             | 80      |























Note :- 9" Long Deluxe Wire. All are Available in 10 Pcs. Packing




090 Series












































Note :- 9" Long Deluxe Wire. All are Available in 10 Pcs. Packing

# SAROOP INDUSTRIES

#### **UNIVERSAL HOLDERS**

0110 Series/Special







0110 Series Special





















































**090 Series Water Proof** 











































Note :- 9" Long Deluxe Wire. All are Available in 10 Pcs. Packing













































## **RELAY BASE & HEAD LAMP CONNECTORS**









































# INDUSTRIES

#### JPT CONNECTORS



SH0300201









































# **SUPER SEALED CONNECTORS**











































#### SENSOR CONNECTORS











































# SINGLE FUSE CONNECTORS & COMBINATION SET



















Single Fuse, Combination Set




















Note :- 9" Long Deluxe Wire. All are Available in 10 Pcs. Packing



# **ROUND CONNECTORS**





















Suitable for: Fan Motor, Zen,























# Suitable for: Maruti Fuse Link 1 Pole Female With 8mm Dlx. Wire

SH2100101







SPECIAL UNIVERSAL CONNECTORS

































Note :- 9" Long Deluxe Wire. All are Available in 10 Pcs. Packing

2 Pole

## SPECIAL UNIVERSAL CONNECTORS



















































































Note :- 9" Long Deluxe Wire. All are Available in 10 Pcs. Packing

# SAROOP INDUSTRIES

#### SPECIAL UNIVERSAL CONNECTORS

2 Pole



















































































Note :- 9" Long Deluxe Wire. All are Available in 10 Pcs. Packing

# SAROOP INDUSTRIES

#### SPECIAL UNIVERSAL CONNECTORS

3 Pole

















































































Note: - 9" Long Deluxe Wire. All are Available in 10 Pcs. Packing

# SAROOP INDUSTRIES

#### SPECIAL UNIVERSAL CONNECTORS

4 Pole



















































































# SAROOP INDUSTRIES

#### SPECIAL UNIVERSAL CONNECTORS

5 Pole





















































































7 Pole









8 Pole









9 Pole









10 Pole









11 Pole



















































Note: - 9" Long Deluxe Wire. All are Available in 10 Pcs. Packing

# SAROOP INDUSTRIES

#### SPECIAL UNIVERSAL CONNECTORS

16 Pole



















SH2101811



































































#### **ECM CONNECTORS**













Suitable for: Ashok Leyland



















SH2109402



Suitable for: Tata ECM Big 81 Pole Female With ECM Special & 6mm Dlx. Wire

SH2106003





SH2109401



Suitable for: Ashok leyland 62 Pole Male With ECM Special & 5mm Dlx. Wire 15" Long

15" Long
SH2109942

Suitable for: Ashok leyland 28 Pole Female With ECM Special Wire 15" Long

SH2109945

SH2109901

Note: - 9" Long Deluxe Wire. All are Available in 10 Pcs. Packing



Suitable for: Ashok leyland 52 Pole Female With ECM Special & 5mm Wire 15" Long



SH2109949

24 Pole Female With 5mm Dlx. Wire 15" Long

Suitable for: Ashok Leyland

SH2109951

Suitable for: Ashok Leyland





**ECM CONNECTORS** 

Suitable for: Ashok Leyland & Tata 48 Pole Male With ECM Special, 8mm & 6mm Dlx. Wire 15" Long



SH2109954

53 Pole Female With ÉCM Special, 4mm & 5mm Dlx. Wire 15" Long

SH2109957



Suitable for: Ashok Leyland







SH2109963

















Note: - 9" Long Deluxe Wire. All are Available in 10 Pcs. Packing



#### **JOINTER HOLDERS**











































#### **UNIVERSAL HOLDER**











































#### **RELAY WITH BASE**









































**SQUARE FUSE BOX** 



SUITABLE FOR TATA / ASHOK LEYLAND / **EICHER CANTER** 



MARUTI CAR / **VAN FUSE BOX** 



**UNIVERSAL FUSE BOX** 



**GLASS FUSE BOX** 



**JCB** CONNECTIONS



**JCB FUSE BOX** 



**HEAD LIGHT WIRING** HARNESS SET


















### **TABLE OF CONTENTS**

| FUSE BOX  |         |
|---|---------|
| Square Fuse Box Suitable for : Tata LPT 1613TC / 1616TC / 2515TC / 2518TC/ 3118TC /3718TC / 4018TC /4018 Horse ( BS II / BS IV) | 81      |
| Eicher Canter   |         |
| Ashok Leyland   |         |
|   |         |
| Maruti Fuse Box (Car Type)  | 82 - 83 |
| Maruti Fuse Box (Van Type)  | 83      |
| Universal Fuse Box  | 84      |
| Glass Fuse Box  |         |
|   |         |
| JCB HOLDER & JCB FUSE BOX   |         |
| JCB Connectors  | 85 - 88 |
| JCB Fuse Box  | 88      |
|   |         |
|   |         |
|   |         |
| WIRING HARNESS SET  |         |
|   |         |
| Head Light Wiring Without Relay   | 89      |
| Head Light Wiring With Relay  | 90      |
|   |         |



### **SQUARE FUSE BOX**

Suitable for : Tata LPT 1613TC / 1616TC / 2515TC / 2518TC / 3118TC / 3718TC / 4018TC / 4018 Horse (BS II / BS III / BS IV)









#### Suitable for: ASHOK LEYLAND





Note:- All Fuse Box Available in Saroop Deluxe Wire.



### **MARUTI FUSE BOX (CAR TYPE)**



















### **MARUTI FUSE BOX (CAR / VAN TYPE)**

















Note:- All Fuse Box Available in Saroop Deluxe Wire.































Note:- All Fuse Box Available in Saroop Deluxe Wire.



#### **JCB CONNECTORS**











































#### **JCB CONNECTORS**









































Note :- 9" Long Deluxe Wire. All are Available in 10 Pcs. Packing



### JCB CONNECTORS











































#### **JCB CONNECTORS & FUSE BOX**









Note: - 9" Long Deluxe Wire. All are Available in 10 Pcs. Packing







Note :- 15" Long Deluxe Wire. All are Available in 10 Pcs. Packing



#### **HEAD LIGHT RELAY WIRING WITHOUT RELAY**



















#### **HEAD LIGHT RELAY WIRING WITH RELAY**

















मेरी डोरी प्रुभ तेरे कर मैं, चाहे जंगल मैं रख लो या घर मैं, रखना बस नाथ अपनी नज़र मैं॥



BRASS TERMINALS & LUGS

BATTERY & JUMPER CABLE SETS

**CHARGING & JUMPER CLIPS** 

**SWITCHES** 

FLASHER & RELAYS

**TUNERS & FUSES** 

**DIP MOULDING & RUBBER CAPS** 

**CORRUGATED & POLYAMIDE PIPES** 

HEAT SLEEVES, PVC SLEEVES & TAPES

**UNIVERSAL HOLDERS** 

**FUSE BOX** 

JCB UNIVERSAL HOLDERS & JCB FUSE BOX

**WIRING HARNESS SET** 

**PLASTIC CONNECTORS** 

